

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S41	3338	709/238.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/14 14:36
S42	2678	709/238.ccls. AND @ad<"20031017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/14 14:40
S43	21	709/238.ccls. AND ((interior AND exterior) WITH protocol) AND @ad<"20031017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/14 14:41
S44	68	"709".clas. AND ((interior AND exterior) WITH protocol) AND @ad<"20031017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/14 14:57
S45	38	"709".clas. AND (limit WITH rout\$3 WITH table) AND @ad<"20031017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/14 15:54
S46	60	"709".clas. AND (limit WITH size WITH table) AND @ad<"20031017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/14 16:08
S47	724	"709".clas. AND cisco.as. AND (limit\$3) AND @ad<"20031017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/17 08:39

S48	26	"709".clas. AND cisco.as. AND (limit\$3 WITH table) AND @ad<"20031017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/17 08:39
S49	127	"709".clas. AND (limit\$3 WITH size WITH table) AND @ad<"20031017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/17 09:00
S50	0	"709".clas. AND (limit\$3 WITH rout\$3 size WITH table) AND @ad<"20031017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/17 09:01
S51	16	"709".clas. AND (limit\$3 WITH rout\$3 WITH size WITH table) AND @ad<"20031017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/17 09:01
S52	0	("2004/0039840").URPN.	USPAT	ADJ	ON	2007/12/17 09:05
S53	24	"709".clas. AND ((limit\$3 OR max OR maximum) WITH rout\$3 WITH size WITH table) AND @ad<"20031017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/17 09:14
S54	0	"709".clas. AND (reject\$3 WITH add WITH rout\$3 WITH table) AND @ad<"20031017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/17 10:27
S55	26	"709".clas. AND (reject\$3 WITH rout\$3 WITH table) AND @ad<"20031017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/17 10:27
S56	2	("2003/0149755").URPN.	USPAT	ADJ	ON	2007/12/17 10:30
S57	2	"709".clas. AND (count\$3 WITH export\$3 WITH rout \$3) AND @ad<"20031017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/17 10:53

S58	74	"709".clas. AND (export\$3 WITH limit\$3) AND @ad<"20031017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/17 10:58
S59	51	"709".clas. AND (export\$3 WITH limit\$3) AND table AND @ad<"20031017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/17 10:58
S60	8	"709".clas. AND (export\$3 WITH limit\$3) AND (rout \$3 WITH table) AND @ad<"20031017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/17 10:58
S61	0	709/238.ccls. AND (export WITH limit) AND @ad<"20031017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/17 12:25
S62	64	"709".clas. AND (limit\$3.ti.) AND table AND @ad<"20031017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/17 12:27
S63	1	"709".clas. AND (limit\$3 AND rout\$3).ti. AND table AND @ad<"20031017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/17 12:33
S64	16	(limit\$3 AND rout\$3).ti. AND table AND @ad<"20031017"	EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/17 17:54
S65	12	((("6147976") or ("6192051") or ("6449256") or ("6473421") or ("6603756") or ("6917618") or ("6938095") or ("6982966") or ("6985960") or ("7023808") or ("7236453") or ("7260096")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/12/17 18:00

S66	76	("20010025319" OR "20010036161" OR "20010043602" OR "20020165981" OR "20040008675" OR "20040008700" OR "20040044786" OR "20040196854" OR "20040221296" OR "20040223491" OR "20040230696" OR "20040249803" OR "20050074003" OR "20050135256" OR "20050177634" OR "20050232286" OR "20050265259" OR "20060083198" OR "20060114916" OR "20060140136" OR "20060153200" OR "20060165009" OR "20060171331" OR "20060171404" OR "20060227724" OR "20060262735" OR "20060268681" OR "20070008949" OR "20070030855" OR "20070036072" OR "20070047446" OR "20070091794" OR "20070091795" OR "20070091796" OR "20070091811" OR "20070097973")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/17 18:18
S67	984	("709" OR "370").clas. AND ((limit OR cap OR max OR maximum OR count) WITH (rout\$3 OR connection) WITH (table OR list)) AND @ad< "20031017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/18 09:26
S68	14	("709" OR "370").clas. AND ((limit OR cap OR max OR maximum OR count) WITH (rout\$3 OR connection) WITH (table OR list)) AND (reject WITH (additional OR more OR extra)) AND @ad< "20031017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/18 09:27

S69	20	("709" OR "370").clas. AND ((limit OR cap OR max OR maximum OR count) WITH (rout\$3 OR connection OR forward\$3) WITH (table OR list OR database)) AND (reject WITH (additional OR more OR extra)) AND @ad<"20031017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/18 11:53
S70	802	("709" OR "370").clas. AND ((limit OR cap OR max OR maximum OR count) WITH (rout\$3 OR connection OR forward\$3) WITH (table OR list OR database)) AND (count) AND @ad<"20031017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/18 12:10
S71	208	("709" OR "370").clas. AND ((limit OR cap OR max OR maximum OR count) WITH (rout\$3 OR connection OR forward\$3) WITH (table OR list OR database)) AND (count WITH (max OR maximum OR limit)) AND @ad<"20031017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/18 12:12
S72	220	("709" OR "370").clas. AND ((limit OR cap OR max OR maximum OR count) WITH (rout\$3 OR connection OR forward\$3) WITH (table OR list OR database OR cache)) AND (count WITH (max OR maximum OR limit)) AND @ad<"20031017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/18 12:39
S73	2	("709" OR "370").clas. AND ((limit OR cap OR max OR maximum OR count) WITH (rout\$3 OR connection OR forward\$3) WITH (table OR list OR database OR cache) WITH (interior OR IGP OR IBGP OR RIP OR OSPF)) AND (count WITH (max OR maximum OR limit)) AND @ad<"20031017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/18 12:50

S74	39	("709" OR "370").clas. AND (export WITH route) AND @ad<"20031017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/18 12:53
S75	26	("709" OR "370").clas. AND (overflow WITH rout \$3 WITH table) AND @ad<"20031017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/18 14:10
S76	0	("709" OR "370").clas. AND (reject WITH overflow WITH rout\$3 WITH table) AND @ad<"20031017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/18 14:10
S77	0	("709" OR "370").clas. AND (reject WITH overflow WITH rout\$3 WITH table) AND @ad<"20031017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/18 14:10
S78	12	("709" OR "370").clas. AND (reject WITH rout\$3 WITH updat\$3) AND @ad<"20031017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/19 10:08
S79	199	("709" OR "370").clas. AND (reject WITH updat \$3) AND @ad<"20031017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/19 10:18
S80	139	("709" OR "370").clas. AND (reject WITH updat \$3) AND rout\$3 AND @ad<"20031017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/19 10:19
S81	79	("709" OR "370").clas. AND (reject WITH updat \$3) AND (max OR maximum) AND rout\$3 AND @ad<"20031017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/19 10:28

S82	8	("709" OR "370").clas. AND (reject WITH updat \$3) SAME (max OR maximum) AND rout\$3 AND @ad< "20031017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/19 10:30
S83	0	("2003/0188018").URPN.	USPAT	ADJ	ON	2007/12/19 10:46
S84	16	("709" OR "370").clas. AND (export\$3 WITH rout \$3) AND ((interior OR IBGP) WITH rout\$3) AND @ad< "20031017"	USPAT	ADJ	ON	2007/12/19 10:48
S85	18	("709" OR "370").clas. AND (export\$3 WITH rout \$3) AND ((interior OR IBGP OR IGP) WITH rout \$3) AND @ad< "20031017"	USPAT	ADJ	ON	2007/12/19 10:49
S86	2	"20030188018"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/19 12:25
S87	4	("709" OR "370").clas. AND (user WITH define\$1 WITH (limit OR max OR maximum) WITH rout\$3) AND @ad< "20031017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/19 12:35
S88	21	("709" OR "370").clas. AND (user WITH define\$1 WITH (limit OR max OR maximum) WITH table) AND @ad< "20031017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/19 12:37
S89	23	("709" OR "370").clas. AND ((user OR admin OR administrator) WITH define \$1 WITH (limit OR max OR maximum) WITH table) AND @ad< "20031017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/19 12:49
S90	36	("709" OR "370").clas. AND ((user OR admin OR administrator) WITH (define\$1 OR chang\$3 OR alter) WITH (limit OR max OR maximum) WITH table) AND @ad< "20031017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/19 12:49

S91	38	("709" OR "370").clas. AND ((user OR admin OR administrator OR client) WITH (define\$1 OR chang \$3 OR alter) WITH (limit OR max OR maximum) WITH table) AND @ad<"20031017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/19 12:52
S92	44	("709" OR "370").clas. AND (dynamic WITH table WITH size) AND @ad<"20031017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/19 13:28
S93	7	("709" OR "370").clas. AND (dynamic WITH table WITH size WITH rout\$3) AND @ad<"20031017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/19 13:29
S94	55	("709" OR "370").clas. AND (dynamic WITH size WITH rout\$3) AND @ad<"20031017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/19 13:32
S95	0	("709" OR "370").clas. AND (export limit) AND @ad<"20031017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/19 13:35
S96	7	("709" OR "370").clas. AND (export WITH limit) AND @ad<"20031017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/19 13:35
S97	149	("709" OR "370").clas. AND (client WITH (chang \$3 OR alter OR set OR establish) WITH limit) AND @ad<"20031017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/19 13:57
S98	2	("709" OR "370").clas. AND (client WITH (chang \$3 OR alter OR set OR establish) WITH limit WITH table) AND @ad<"20031017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/19 13:57

S99	476	("709" OR "370").clas. AND ((max OR maximum) WITH metric) AND @ad<"20031017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/19 17:12
S100	19	("709" OR "370").clas. AND ((max OR maximum) WITH metric SAME update) AND @ad<"20031017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/19 17:13
S101	643	juniper.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/20 08:15
S102	63	juniper.as. AND "709".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/20 08:15
S103	55	("709" OR "370").clas. AND (advertis\$3 WITH rout \$3 SAME (max OR maximum OR limit)) AND @ad<"20031017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/20 08:23
S104	28	("709" OR "370").clas. AND (link WITH state WITH prefix) AND @ad<"20031017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/20 08:46
S105	416	("709" OR "370").clas. AND (link WITH state WITH database) AND @ad<"20031017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/20 08:52
S106	307	("709" OR "370").clas. AND (link state WITH database) AND @ad<"20031017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/20 08:52

S107	3	("709" OR "370").clas. AND (link state WITH database WITH limit) AND @ad<"20031017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/20 08:52
S108	7	("709" OR "370").clas. AND (link state WITH database WITH (limit OR flag)) AND @ad<"20031017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/20 09:02
S109	171	("709" OR "370").clas. AND (link WITH state WITH (prefix OR flag)) AND @ad<"20031017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/20 09:02
S110	43	("709" OR "370").clas. AND (link state WITH (prefix OR flag)) AND @ad<"20031017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/20 09:02
S111	25	("709" OR "370").clas. AND (link state WITH (flag)) AND @ad<"20031017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/20 09:03
S112	3	"20020147842"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/20 10:01
S113	0	("709" OR "370").clas. AND (link state WITH (overload)) AND @ad<"20031017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/20 10:22
S114	11	("709" OR "370").clas. AND (link WITH state WITH (overload)) AND @ad<"20031017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/20 10:22

12/ 20/ 2007 11:28:42 AM

C:\ Documents and Settings\ trichardson\ My Documents\ EAST\ Workspaces\ !Default.w sp